



**OREGON STATE UNIVERSITY
REQUEST FOR QUOTE (RFQ)**

		ISSUE DATE:	4-10-2014		
RFQ #	ML169635Q	RFQ DUE DATE:	4-22-2014 @2:00 PM		
DELIVER TO:		REQUESTED BY / RETURN QUOTE TO:			
DEPARTMENT:	Memorial Union	NAME:	Mark Lessel		
ADDRESS:	112 Memorial Union	E-MAIL:	Mark.lessel@oregonstate.edu		
CITY, STATE ZIP:	Corvallis OR, 97331	TELEPHONE:	541-737-3667		
REQUIRED DELIVERY DATE:	5-28-2014	FAX:	541-737-2170		
ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL PRICE
1	Tennsco WBA-1-3096W Work bench with Butcher Block Top: Light Grey 30"x96" top, adjustable legs to allow us to get 37" under the unit, and no center leg in front.	4	EA		
2	Tennsco WBA-1-3096S Work bench with Metal Top: Light Grey 30"x96" top, adjustable legs to allow us to get 37" under the unit, and no center leg in front.	3	EA		
3	Tennsco WBA-1-3060W Work bench with Butcher Block Top: Light Grey 30" x 60" top, adjustable legs to allow us to get 37" under the unit.	2	EA		
4	Sandusky Lee WA21301230-02. Overhead Cabinet: 30"w x 30"t x 12"d with 2 shelves and locking doors.	9	EA		
5	Securall A190 Flammable Cabinet, Yellow: 90 gallon. Manual close doors. Must meet codes OSHA, NFPA Code 30, FM. Heavy duty galvanized steel.	1	EA		
6	Securall A190 Flammable Cabinet, Red 90 gallon. Manual close doors. Must meet codes OSHA, NFPA Code 30, FM. Heavy duty galvanized steel.	1	EA		
7	Durham HDC48-162-95 Bin cabinet: 48"W x 24"D x 78"H with approx. 162 Bins. Recessed Doors, all welded.	7	EA		
8	Durham DC48-4S14DS-95 Tool cabinet: 48"W x 24"D X 72"H. Recessed doors with door shelves at least 4" deep. Extra heavy duty shelves, 700lb min.	4	EA		
9	Pucel GL-2472-24-DFL Lockers: 24"w x 24"d x 72"h. Orange color All welded, 16 gauge. Door, top shelf, foot locker, and legs. Units must be able to stand alone or connect to others.	5	EA		
10	Global Industrial T9F184993 Locker Bench: 8' long, freestanding. 9-1/2"deep x 17" high. Hardwood top with steel pedestals.	1	EA		
11	Edsal Model # ERL962472S Storage Shelving Width 96" Depth 24" Height 72" Solid shelves, Capable of 100 lb per square foot minimum. Boltless	4	EA		
SHIPPING COSTS MUST BE ADDED TO ITEMS					
See below under special Instructions #2					
Vendor Name:					
Vendor Signature:					
Delivery is f.o.b. destination, prepaid and allowed. Shipping, freight and handling must be included in quoted prices. Additional costs for such are disallowed.				TOTAL	
DELIVERY TIME AFTER RECEIPT OF ORDER:			PRICES VALID THROUGH:		



**OREGON STATE UNIVERSITY
REQUEST FOR QUOTE (RFQ)**

SPECIAL INSTRUCTIONS:	VENDOR INFORMATION:	
<p>1. Unless otherwise specified, all items quoted are to be new, unused and not remanufactured in any way.</p> <p>2. Brand names are for the purpose of describing and establishing the characteristics desired and are not intended to limit or restrict competition. Quoters may submit quotes for substantially equivalent products unless the RFQ provides that a specific brand is necessary because of compatibility requirements, etc. All such brand substitutions shall be subject to approval by OSU.</p> <p>3. Quoters must clearly identify all products quoted. Brand name and model or number must be shown.</p> <p>4. Only documents issued as addenda by OSU serve to change the RFQ in any way.</p> <p>5. OSU reserves the right to make the award by item, partial or whole lots, groups of items or entire quote, whichever is in the best interest of OSU.</p> <p>6. OSU may reject any Quote not in compliance with the RFQ, attachments, and addenda, or if it is in the best interest of OSU.</p>	COMPANY:	
	ADDRESS:	
	CITY, STATE, ZIP:	
	CONTACT NAME:	
	E-MAIL:	
	TELEPHONE:	
	FAX:	
	VENDOR SIGNATURE:	
	<i>By signature below the undersigned certifies that they are authorized to act on behalf of the quoter and will comply with all aspects of the quote herein.</i>	
	SIGNATURE:	
NAME/TITLE:		

This procurement is subject to the indicated Oregon State University Standard Terms and Conditions for: Goods
 Services Purchase Order Construction Software. The indicated terms and conditions may be viewed at <http://pacs.oregonstate.edu/terms-and-conditions>