

ATTACHMENT A

OSU ZIMMATIC PIVOT #1

ZIMMATIC 7500P W/ 7500 SERIES SPANS

- COMPACT/ NON TOW PIVOT STRUCTURE
- BOSS/ 480V, 10 WIRE CR
- GPS POSITIONING FOR 7500P
- PRESSURE TRANSDUCER
- LED END TOWER LIGHT
- R55, ELECTRIC END GUN
- 43 RPM CENTER DRIVES
- 11.2X 24 TIRES WITH 8" RIMS

4 TOWER MACHINE WITH SPAN LENGTHS OF

- 120'
- 178'6"
- 178'6"
- 178'6"

UPGRADABLE TO VRI

ATTACHMENT B

OSU ZIMMATIC PIVOT #2

ZIMMATIC 7500P W/ 7500 SERIES SPANS

- COMPACT/ NON TOW PIVOT STRUCTURE
- BOSS/ 480V, 10 WIRE CR
- GPS POSITIONING FOR 7500P
- PRESSURE TRANSDUCER
- LED END TOWER LIGHT
- R55, ELECTRIC END GUN
- 43 RPM CENTER DRIVES
- 11.2X24 TIRES WITH 8" RIMS

4 TOWER MACHINE WITH SPAN LENGTHS OF

- 120'
- 139'6"
- 139'6"
- 159'

UPGRADABLE TO VRI