GENERAL NOTE:
MECHANICAL & ELECTRICAL LAYOUTS FOR REFERENCE ONLY. DESIGN BUILD CONTRACTOR TO ENGINEER SYSTEMS TO ALL APPLICABLE CODES & VERIFY FINAL LAYOUT WITH OWNER.

LEGEND

- 2X2' SUSPENDED ACOUSTICAL CEILING TILE
- 12X12" GLUE-UP ACOUSTICAL CEILING TILE.
- CEILING FAN. SEE 17/A12.2 & REFER TO SECTION 118509
- 2X4' LIGHT FIXTURE.
- LINEAR LIGHT FIXTURE. PENDANT MOUNT.

NOTES:

- LOCATION & QUANTITY OF LIGHT FIXTURES TO BE DESIGNED BY CONTRACTOR & COORDINATED W/ARCHITECT. SEE SHEET A5.3. COORDINATE LOCATION W/ CEILING FAN MANUFACTURER CLEARANCE REQUIREMENTS.
- MECHANICAL DISTRIBUTION TO BE DESIGNED BY CONTRACTOR & COORDINATED W/ ARCHITECT.
- PROVIDE OCCUPANCY SENSOR(S) TO MEET CURRENT CODE.
- PROVIDE DUAL LEVEL SWITCHING (HALF ON, ALL ON)

KEY NOTES:

1. PROVIDE 3-WAY SWITCHING.
2. PROVIDE INDIVIDUAL CONTROLS FOR EACH FAN (CAN BE REMOTES). COORDINATE WITH OWNER.



HIGH CEILING



SECTION - CONCEPT DIAGRAM



LOW CEILING

2 LIGHT FIXTURE REFERENCE CONCEPT PLAN - ALTERNATE

SCALE: 1/8"=1'-0"



HIGH CEILING



SECTION - CONCEPT DIAGRAM



LOW CEILING

1 LIGHT FIXTURE REFERENCE CONCEPT PLAN

SCALE: 1/8"=1'-0"

GENERAL NOTE:
MECHANICAL & ELECTRICAL LAYOUTS FOR REFERENCE ONLY. DESIGN BUILD CONTRACTOR TO ENGINEER SYSTEMS TO ALL APPLICABLE CODES & VERIFY FINAL LAYOUT WITH OWNER.

ORW
OGDEN ROEMER WILKERSON
ARCHITECTURE
WWW.ORWARCHITECTURE.COM
2950 EAST BARNETT ROAD
MEDFORD OR 97504
P 541.779.5237
F 541.772.8472

FOR REFERENCE ONLY

SOUTHERN OREGON UNIVERSITY
BRITT HALL THIRD FLOOR CLASSROOM RENOVATION
ASHLAND, OREGON

HVAC & LIGHT FIXTURE REFERENCE PLAN

PROJECT	1420-02
DATE	06/03/14

No.	Description	Date

A5.3

© 2013 Ogden Roemer Wilkerson Architecture. This document and the ideas and designs incorporated herein, as an instrument of professional service, shall remain the property of Ogden Roemer Wilkerson Architecture, and shall not be reproduced, published or used, in whole or in part, for any other project or purpose without the express written authorization of Ogden Roemer Wilkerson Architecture

J:\1420-02_SOU BRITT HALL\DWG\1420-02_RCP1.DWG