
$$1/8'' = 1'-0''$$

RADIANT HEATER: SUSPENDED WATERPROOF SHORTWAVE INFRARED HEATER SUITABLE FOR OUTDOOR USE. MFGR: SOLAIRA, ALPHA SERIES, MODEL # SALPHA15120S OR APPROVED EQUAL. PROVIDE VARIABLE OUTPUT CONTROLLER FOR TEMPERATURE CONTROL. PROVIDE NECESSARY POWER AND SUPPORT HARDWARE, TYP.


LIGHT FIXTURE: SUSPENDED FLUORESCENT LIGHT FIXTURE W/ (2) 32WATT T8 LAMPS W/ METAL PROTECTIVE CAGE.

A. THE FOLLOWING ARE DEDUCTIVE ALTERNATES:

1. (DEDUCTIVE ALTERNATE 1) REDUCE THE SIZE OF THE STRUCTURE BY REMOVING ONE BATTING STATION AND ALL ASSOCIATED EQUIPMENT AND BUILDING MATERIALS, INCLUDING REDUCING THE SIZE OF STORAGE ROOM 102. THE INTENT IS TO REDUCE THE OVERALL COST OF THE STRUCTURE BY REDUCING THE SCOPE OF THE PROJECT FROM THREE BATTING STATIONS TO TWO.

B. THE FOLLOWING ARE ADDITIVE ALTERNATES:

1. (ADD ALTERNATE 2) PROVIDE 2X6 WOOD FRAMING @ 16" OC IN LIEU OF CHAINLINK FENCING FOR (3) BATTING STATIONS, PROVIDE 3'-0" X 7'-0" STEEL DOORS IN LIEU OF CHAIN LINK GATES - SAME LOCATION. SEE DETAIL 6/A3.2.
2. (ADD ALTERNATE 3) SAME AS ADD ALTERNATE 1 FOR (2) BATTING STATIONS.
3. (ADD ALTERNATE 4) PROVIDE AND INSTALL SAFETY NETS, INCLUDING ALL VERTICAL NETS AND HORIZONTAL NETS BELOW ROOF TRUSSES, NETS SHALL BE SUSPENDED FROM THE ROOF STRUCTURE. PROVIDE NETS FOR (3) BATTING STATIONS.
4. (ADD ALTERNATE 5) PROVIDE AND INSTALL SAFETY NETS, INCLUDING ALL VERTICAL NETS AND HORIZONTAL NETS BELOW ROOF TRUSSES, NETS SHALL BE SUSPENDED FROM THE ROOF STRUCTURE. PROVIDE NETS FOR (2) BATTING STATIONS.
5. (ADD ALTERNATE 6) PROVIDE NEW CUSTOM LOCKERS IN LIEU OF REUSING EXISTING LOCKERS. SEE DRAWING A4.1.



+ 5)

$$2)$$

REVISIONS

FLOOR PLAN

A3.1