



**OREGON STATE UNIVERSITY  
REQUEST FOR QUOTE (RFQ)**

		<b>ISSUE DATE:</b>	8-12-2014			
<b>RFQ #</b>	<b>ML172039</b>	<b>RFQ DUE DATE:</b>	<b>8-19-2014 @3:00 PM</b>			
<b>DELIVER TO:</b>		<b>REQUESTED BY / RETURN QUOTE TO:</b>				
<b>DEPARTMENT:</b>	Facilities Services Maintenance	<b>NAME:</b>	Mark Lessel			
<b>ADDRESS:</b>	560 SW 15th St.	<b>E-MAIL:</b>	<a href="mailto:Mark.lessel@oregonstate.edu">Mark.lessel@oregonstate.edu</a>			
<b>CITY, STATE ZIP:</b>	Corvallis OR, 97331	<b>TELEPHONE:</b>	541-737-3667			
<b>REQUIRED DELIVERY DATE:</b>	8-28-2014	<b>FAX:</b>	541-737-2170			
ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL PRICE	
1	05-515 ProMinent DCM 502 Controller, Controller for pH, ORP, PPM & Combined PPM on non-stabilized (CYA) water. W/Proprietary sensor technology, Oxidant specific sensor, combined chlorine control, simultaneous chlorine/ORP control	1	EA			
2	09-555 ProMinent UV System 1x2A, 208/240/1.6" Based on Flow rate of 580 GPM. Price does not include plumbing installation or electrical hookup. W/Start w up and training.	1	EA			
3	05-000 ProMinent UV Control Kit. Will allow control and integration of UV System by Prominent 502 controller	1	EA			
<b>BRAND SPECIFIC-NO SUBSTITUTIONS.SHIPPING COSTS MUST BE ADDED TO ITEMS</b>						
<b>Delivery is f.o.b. destination, prepaid and allowed. Shipping, freight and handling must be included in quoted prices. Additional costs for such are disallowed.</b>					<b>TOTAL</b>	
<b>DELIVERY TIME AFTER RECEIPT OF ORDER:</b>			<b>PRICES VALID THROUGH:</b>			
<b>SPECIAL INSTRUCTIONS:</b>		<b>VENDOR INFORMATION:</b>				
1. Unless otherwise specified, all items quoted are to be new, unused and not remanufactured in any way. 2. Brand names are for the purpose of describing and establishing the characteristics desired and are not intended to limit or restrict competition. Quoters may submit quotes for substantially equivalent products unless the RFQ provides that a specific brand is necessary because of compatibility requirements, etc. All such brand substitutions shall be subject to approval by OSU. 3. Quoters must clearly identify all products quoted. Brand name and model or number must be shown. 4. Only documents issued as addenda by OSU serve to change the RFQ in any way. 5. OSU reserves the right to make the award by item, partial or whole lots, groups of items or entire quote, whichever is in the best interest of OSU. 6. OSU may reject any Quote not in compliance with the RFQ, attachments, and addenda, or if it is in the best interest of OSU.		<b>COMPANY:</b>				
		<b>ADDRESS:</b>				
		<b>CITY, STATE, ZIP:</b>				
		<b>CONTACT NAME:</b>				
		<b>E-MAIL:</b>				
		<b>TELEPHONE:</b>				
<b>FAX:</b>						
<b>VENDOR SIGNATURE:</b>						
<i>By signature below the undersigned certifies that they are authorized to act on behalf of the quoter and will comply with all aspects of the quote herein.</i>						
<b>SIGNATURE:</b>						
<b>NAME/TITLE:</b>						

This procurement is subject to the indicated Oregon State University Standard Terms and Conditions for:  Goods  Services  Purchase Order Construction  Software. The indicated terms and conditions may be viewed at <http://pacs.oregonstate.edu/terms-and-conditions>