

TESC LEGEND:

- 1 MAXIMUM CLEARING LIMITS
- 2 INSTALL FILTER FABRIC FENCE PER DETAIL ON C-0.6
- 3 INSTALL TYPE 4 INLET PROTECTION ON EXISTING CATCH BASINS (SEE DETAIL ON C-0.6)
- 4 FUTURE TYPE 4 INLET PROTECTION FOR PROPOSED CATCH BASINS (SEE DETAIL ON C-0.6)
- 5 INSTALL NEW TEMPORARY CONSTRUCTION ENTRANCE (TCE), MAINTAIN TCE AS NECESSARY TO ENSURE NO SEDIMENT TRACKING ONTO N. UNIVERSITY DRIVE. SEE TCE DETAIL ON C-0.6.
- 6 PROTECT EX. DITCH WITH CHECK DAMS OR STRAW BALE BARRIERS PER DETAILS ON C-0.6. INSTALL DOWNSTREAM OF DEVELOPMENT AT ALL CULVERT INLETS AND AT 50-FT O.C.
- 7 PROVIDE NEW 18" CMP CULVERT UNDER TCE. SEE C-2.2 FOR INVERT ELEVATIONS.

SOIL STOCKPILES

THE TOP 3" OF SOD SHALL BE HAULED OFFSITE TO THE UNIVERSITY DISPOSAL/COMPOST SITE LOCATED APPROXIMATELY 1000-FT TO THE NORTHEAST AND IDENTIFIED ON C-0.0.

THE NEXT 6" OF TOPSOIL SHALL BE HAULED TO THE NORTH SIDE OF N. UNIVERSITY DRIVE AND STOCKPILED AS THE FINAL GROWING MEDIUM FOR THE OFFSITE THROWS FACILITY.

REMAINING EXCAVATION MATERIAL SHALL BE HAULED TO THE NORTH SIDE OF N. UNIVERSITY DRIVE, PLACED IN 8"-12" LIFTS AND SPREAD UNIFORMLY IN THE FILL LOCATION FOR THE OFFSITE THROWS VENUE.

WET WEATHER CONSTRUCTION

THE SITE SOILS ARE CONSIDERED MOISTURE SENSITIVE AND, AS SUCH, ARE SUSCEPTIBLE TO DISTURBANCE BY CONSTRUCTION EQUIPMENT, PARTICULARLY DURING PERIODS OF WET WEATHER. DURING WET WEATHER, THE CONTRACTOR SHALL MINIMIZE TRAFFIC ON PREPARED SOIL SUBGRADE AREAS. IF THE SITE SOILS ARE EXPOSED DURING WET WEATHER, THE USE OF CRUSHED ROCK PLACED AS ENGINEERED FILL IN THE BOTTOM OF THE EXCAVATIONS MAY BE NECESSARY TO PROTECT THE SUBGRADE. THE GRADING CONTRACTOR SHALL TAKE ALL PRECAUTIONS TO LIMIT SURFACE DISTURBANCE AND PROTECT THE SITE GRADING AREA FROM EXCESSIVE RUNOFF EROSION.

CLEARING LIMITS

CLEARING LIMITS SHOWN ON PLAN REPRESENTS MAXIMUM ALLOWABLE EXTENT OF CLEARING ON THE PROPERTY. OWNER MAY ELECT TO CLEAR LESS AREA OUTSIDE RIGHT-OF-WAY. DRAINAGE FACILITY DESIGN IS BASED ON ASSUMPTION OF MAXIMUM ALLOWED CLEARING.

MARKING OF CLEARING LIMITS AND PLACEMENT OF EROSION CONTROL FACILITIES IN FIELD SHALL BE ADJUSTED FOR ACTUAL EXTENTS OF CLEARING AS DIRECTED BY OWNER. CLEARING LIMITS SHALL BE CLEARLY MARKED IN FIELD PRIOR TO COMMENCEMENT OF SITE WORK.

THROW FACILITY LANDING ZONE

EX. SOLAR ARRAY FACILITY

N. UNIVERSITY DRIVE


MOEHL STADIUM

MATCH LINE (SEE C-0.4)

DANNY MILES WAY



Know what's below.
Call before you dig.



Drawing name: V:\Projects - Current\14-0708 OIT Soccer & Track Design\Pre Development\Drawings\14-0708 OIT Civil Sheets.dwg
Plot Date: Jan 12, 2015 - 2:38pm



www.AuslandGroup.com

Ashland 541.482.0923
Eugene 541.345.1094
Grants Pass 541.476.3788
Medford 541.773.3387




115 1st Avenue South, Suite 110
Eugene, Oregon 97401
© 2015 DA HOGAN
P. 206.345.0900
F. 206.345.0909

Director Decision Date:	N.A.
First Submittal Date:	
Second Submittal Date:	
City Approval Date:	
Drawn By:	TDP
Checked By:	TDP, KAMA
Approved:	Rev 1 Rev 2 Rev 3
By:	
By:	
By:	
As-Shift:	

OREGON TECH TRACK AND
SOCCER PROJECT
CONSTRUCTION DOCUMENTS
MAP NO. 38.09-00, TAX LOT 4900
3201 CAMPUS DRIVE, KLAMATH FALLS, OREGON
CITY PROJECT NO. OIT-270-P-13-17

VERIFY SCALES
ORIGINAL DRAWING
BAR IS ONE INCH ON
IF NOT ONE INCH ON THIS
SHEET, ADJUST SCALES
ACCORDINGLY



C-0.5
THROWS TESC