

(A) SYNTHETIC TURF FIELD CENTERLINE/ CROWN:	
SUBGRADE ELEVATION:	99.80
FINISH GRADE OF BASE COURSE PERMEABLE AGGREGATE (6" DEPTH):	100.30
FINISH GRADE OF TOP COURSE PERMEABLE AGGREGATE (2" DEPTH):	100.47
FINISH GRADE OF SYNTHETIC TURF INFILL (1.5" DEPTH):	100.60
(B) SYNTHETIC TURF FIELD EDGE AT SLOT DRAIN	
SUBGRADE ELEVATION:	98.82
FINISH GRADE OF BASE COURSE PERMEABLE AGGREGATE (10" DEPTH):	99.65
FINISH GRADE OF TOP COURSE PERMEABLE AGGREGATE (2" DEPTH):	99.82
FINISH GRADE OF SYNTHETIC TURF INFILL (1.5" DEPTH):	99.95
RUBBERIZED RUNNING TRACK AREAS:	
(C) INSIDE EDGE:	
SUBGRADE ELEVATION:	99.10
FINISH GRADE OF BASE AGGREGATE (6" DEPTH):	99.60
FINISH GRADE OF ASPHALT PAVING - 1ST LIFT (2" DEPTH):	99.77
FINISH GRADE OF ASPHALT PAVING - 2ND LIFT (1.5" DEPTH):	99.90
FINISH GRADE OF RUBBERIZED SURFACING (0.5" DEPTH):	99.95
(D) OUTSIDE EDGE:	
SUBGRADE ELEVATION:	99.26
FINISH GRADE OF BASE AGGREGATE (6" DEPTH):	99.76
FINISH GRADE OF ASPHALT PAVING - 1ST LIFT (2" DEPTH):	99.93
FINISH GRADE OF ASPHALT PAVING - 2ND LIFT (1.5" DEPTH):	100.06
FINISH GRADE OF RUBBERIZED SURFACING (0.5" DEPTH):	100.10


GRADING NOTES

1. THE CONTRACTOR SHALL CALL AND NOTIFY DIG ALERT 8-1-1 A MINIMUM OF 2 WORKING DAYS BEFORE DEMOLITION, DIGGING, OR GRADING OPERATIONS OCCUR.
2. BACKFILL AND COMPACT EXCAVATED AREAS RESULTING FROM ALL WORK WITH APPROVED SELECT FILL TO 95% WITH 12" MAX LIFTS.
3. EARTHWORK SEQUENCE
 - STRIP 3" (0.25') OF EXISTING INFIELD SOD AND ROOT MASS AND TRANSPORT TO ON-CAMPUS DISPOSAL SITE. DUMP IN PLACE AS DIRECTED.
 - STRIP AND STOCKPILE REMAINING 6" (0.50') OF ROOT ZONE SAND MATERIALS AND STOCKPILE FOR RE-USE AS GROWING MEDIUM FOR LAWN RESTORATION.
 - EXCAVATE NATIVE AND EXISTING FILL SOILS WITHIN THE STADIUM SITE FOR RE-USE AS FILLS ON THE N. UNIVERSITY DR. THROWS VENUE.
 - IMPORT APPROVED BULK FILL MATERIALS AS NECESSARY TO RECOVER VOLUME REQUIRED TO ESTABLISH DESIGNED SUBGRADE AT THE N. UNIVERSITY DR. THROWS VENUE.
 - REMOVE ALL RUBBERIZED SURFACING, ASPHALT PAVING, AND CONCRETE PAVING AND DISPOSE OF OFF SITE.
 - INCORPORATE REMAINING PAVEMENT BASE AGGREGATE MATERIALS INTO EITHER THE STADIUM FIELD/TRACK SUBGRADE OR FILLS AT N. UNIVERSITY DR. THROWS VENUE.
4. THE CONTRACTOR SHALL NOTIFY THE ENGINEER IN THE EVENT OR DISCOVERY OF POOR SOILS, SHALLOW WATER OR DISCREPANCIES IN THE EXISTING CONDITIONS AS NOTED ON THE PLANS.

(CONTINUED ON SHEET F-2.2)

GRADING LEGEND

- EXISTING CONTOUR LINES
- SPOT ELEVATION
- NEW CONTOUR LINES
- FINISH GRADE SURFACE SLOPE
SUB GRADE SURFACE SLOPE
- CONSTANT SURFACE SLOPE
- MATCH TO EXISTING
- LIMIT OF PERMEABLE AGGREGATE
- CATCH BASIN INLET (C.B.I.) TYPE 1
- SLOT DRAIN CATCH BASIN
- SLOT DRAIN TYPE 1 CATCH BASIN
- LIMIT OF SYNTHETIC TURF AND EDGE ANCHOR
- SLOT DRAIN




www.AuslandGroup.com
 Ashland 541.482.0923
 Eugene 541.345.1094
 Grants Pass 541.476.3788
 Medford 541.773.3387



Drawn By:	CPW, JS	Director Decision Date:	N.A.
Designed By:	EUG	Final Submittal Date:	01-09-2015
Checked By:	EUG, RSH	Second Submittal Date:	01-27-2015
Approved:		City Approval Date:	
Rev 1		By:	
Rev 2		By:	
Rev 3		By:	
		As-Built	

OREGON TECH TRACK AND SOCCER PROJECT
 CONSTRUCTION DOCUMENTS
 MAP NO. 38-09-00, TAX LOT 4900
 3201 CAMPUS DRIVE, KLAMATH FALLS, OREGON
 CITY PROJECT NO. OIT-2704-P-13-17

VERIFY SCALES
 ORIGINAL DRAWING: BAR IS ONE INCH ON SHEET. ADJUST SCALES ACCORDINGLY.



SHEET
F-2.1
 FIELD & TRACK GRADING PLAN

Drawing name: K:\Files\Current Project Files\Oregon\Institute of Technology Drawings\F-01_OIT CURRENT 22-04.dwg
 Plot Date: Jun 27, 2015 - 9:55pm